

# TECHNICAL SPECIFICATION

## RESPIRATORY PROTECTION



### Force™10 Typhoon™ Full Face Respirator

Small (F10-1010) / BPB003-104-000-UK



#### DESCRIPTION

Force™10 Typhoon™ is an extremely lightweight, easy to maintain full face mask with panoramic visor. With 3 available sizes (S,M,L) and the ability to fit PressToCheck™ filters, the user can feel reassured of an excellent fit.

#### OPTIONS

Small (F10-1010) (BPB003-104-000-UK)

Medium (F10-1020) (BPB003-004-000-UK)

Large (F10-1030) (BPB003-204-000-UK)

#### SAFETY STANDARDS

EN 136



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 8 Mar 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

Classification  
Class 1

Usage  
R



Exhalation Valve  
Typhoon Valve

Mask Design  
Over-Moulded Visor & Face Seal, Twin Filter with Orinasal



4 Point Harness adjustment system  
Yes

RX Insert  
Optional



BSI Kitemark  
Yes

Mask Material  
Thermoplastic Elastomer & Polycarbonate

Latex free  
Yes

Metal Free  
Yes



Product Weight  
365g

## FEATURES



### Prescription RX Insert Lenses

The RX Modular Prescription Kit enables the use of corrective lenses with the Force™10 Typhoon™ respirator, preventing traditional prescription spectacles interrupting the face seal and compromising protection.



### Effortless Maintenance

The Force™10 Typhoon™ has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available.



### Typhoon™ Valve

Low resistance exhalation valve for easy breathing, with stable mask configuration. Made from silicone it performs well at very low temperatures.



### Excellent Face Seal

Extensive research has been carried out by NIOSH (ISO16976-2) to distinguish the worlds 5 most common facial shapes. Using this research JSP have digitally optimised the ergonomics of the Force™10 Typhoon™ face seal to maximise wearer compatibility.



### Available in 3 Sizes

Available in Small, Medium and Large to provide an even better fit to a wider range of face sizes and shapes improving the seal and level of protection. A size guide is available for use with Force™8 & Force™10 Typhoon™ masks.



### Peel-off Visor

Replaceable peel-off visor protectors are available to prolong the life of the Force™10 Typhoon™.



### PressToCheck™ Compatible

The Force™10 Typhoon™ is compatible with both JSP Classic filters and our PressToCheck™ filters, which allow for Daily Face Fit Reassurance™.



### Ultra Lightweight Comfort

Comfort is a key feature of this ultra lightweight mask, the web like structure of the harness cradles the users head – ensuring wearer comfort throughout the working day.



### Filter Compatibility

Fully compatible with PressToCheck™ twin filter cartridges, providing daily face fit reassurance with the easiest way to check the seal each time the mask is donned. Fit it - Press it - Check it.

## APPLICATIONS

Aerospace

Agricultural



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 8 Mar 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.




Airports	Construction and Infrastructure
Facilities Management	Food and Drink Manufacturing
Hospitals, Healthcare & Pharmaceuticals	Law Enforcement
Manufacturing	Maritime
Mining, Aggregates and Quarrying	Oil, Gas and Chemical Companies
Rail and Tunnelling	Scaffolding and Roofing
Sole Trader	Utilities Contractors
Welding	

## ACCESSORIES

Exhalation Valve Cover for Force™10 Face Mask	Force™ Size Guide
PressToCheck™ A2 P3 Filters	PressToCheck™ ABEK1 P3 Filters
PressToCheck™ Compact P3 Filters with Odour Layer	PressToCheck™ P3 Dust Filters
Replacement Harness (F10-04) and Clips (4 Pieces x F10-02) for Force™10 Typhoon™ Full Face Mask	Replacement Inhalation/Exhalation Diaphragm (3 Pieces) (F08-03) for Force™ Respirators
Replacement Orinasal Mask (F10-03) O-Ring (F10-05) Diaphragm (3x F08-03) for Force™10 Typhoon™ Full Face Mask	Replacement Peel Off Visor (F10-06) For Force™10 Typhoon™ Full Face Mask (PK10)
PPE Cleaning Station & Accessories	

## COMPATIBLE PRODUCTS

Sonis® Compact Ear Defenders	Sonis®1 Ear Defenders
Sonis®2 Ear Defenders	Sonis®3 Ear Defenders

RANGE	VIDEOS
	<a href="https://youtu.be/QXur8s3R7DI">youtu.be/QXur8s3R7DI</a> <a href="https://youtu.be/7WrbphAj9o8">youtu.be/7WrbphAj9o8</a>

## DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [Declaration of Conformity \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 8 Mar 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.

